## **EBASCO SERVICES INCORPORATED**

160 Chubb Avenue, Lyndhurst, NJ 07071 (201) 460-1900

**EBASCO** 

May 3, 1988 RMOII-88-150

Mr. M. Shaheer Alvi, P.E. Regional Project Officer US Environmental Protection Agency 26 Federal Plaza Room 737 New York, New York 10278

Mr. Kerwin Donato Remedial Project Manager US Environmental Protection Agency 26 Federal Plaza New York, New York 12078

SUBJECT: REM III PROGRAM - EPA CONTRACT NO. 68-01-7250 WORK ASSIGNMENT NO. 39-2661 FIELD SAMPLING AND ANALYSIS PLAN FOR NL INDUSTRIES SITE

Dear Mr. Alvi and Mr. Donato:

Enclosed are three copies of Ebasco's Final Field Sampling and Analysis Plan (FSAP) for the NL Industries Site. This FSAP has been revised to be consistent with certain changes in the QA Plan Short Form requested by Ms. Lisa Vidulich of EPA. As indicated in the Draft FSAP, Ebasco assumes that continuous oversight of O'Brien and Gere's field operations will be performed and that approximately 15% of the field samples collected by O'Brien and Gere will be split for analysis by a CLP laboratory. As previously requested by EPA, all solid sample splits for submission to the CLP program will be made by O'Brien and Gere following sample compositing and homogenizing in their own laboratory.

If you have any questions on this matter, please feel free to contact me at (201) 460-6434 or Lew Horzempa at (201) 460-6113.

Please sign and return a copy of this letter to me at the Lyndhurst, New Jersey address, indicating the date of receipt of the enclosed.

Very truly yours,

Der 12. Soul du

Dev R. Sachdev, Ph.D., P.E. Regional Manager - Region II

Enc.

cc: D. J. Sarno (EPA)

M. K. Yates (ZPMO)

M. Amdurer (ZPMO)

L. Horzempa

## **EBASCO SERVICES INCORPORATED**



160 Chubb Avenue, Lyndhurst, NJ 07071 - (201) 460-1900

Mr. M. Shaheer Alvi, P.E.

Mr. Kerwin Donato

address:

SUBJECT: REM III PROGRAM - EPA CONTRACT NO. 68-01-7250

WORK ASSIGNMENT NO. 39-2661

FIELD SAMPLING AND ANALYSIS PLAN

NL INDUSTRIES

## ACKNOWLEDGMENT OF RECEIPT

Signature	 <del></del>

Please acknowledge receipt of this enclosure on the duplicate copy of this letter and return it to the sender at the above